

**Series 6, Free-standing fridge-freezer with freezer at bottom, 201 x 70 cm, White
KGE49AWCAG**



The bottom freezer with VitaFresh 0 °C Box: keeps your meat and fish fresher for longer

- **VitaFresh:** keeps food fresh for longer in climate-controlled drawers at around 0°C.
- **Low Frost:** defrost less often thanks to reduced frost – saving time, effort and energy.
- **LED Lighting:** all your items in perfect view.
- **Big Box drawer:** easily stack food containers and store larger items in your freezer.
- **Easy Access Shelf:** a pull-out glass shelf for easier access to everything inside your fridge.

Technical Data

| | |
|--|------------------------|
| Energy Efficiency Class ¹ : |C |
| Average annual energy consumption in kilowatt hour per year (kWh/a): | 163 kWh/annum |
| Sum of volume of frozen compartments: | 117 l |
| Sum of volume of chill compartments: | 302 l |
| Airborne acoustical noise emissions : |38 dB(A) re 1pW |
| Airborne acoustical noise emission class: |C |
| Built-in / Free-standing: | Freestanding |
| Door panel options: | Not possible |
| Height: | 2010 mm |
| Width of the appliance: | 700 mm |
| Depth: | 650 mm |
| Net weight: | 83.6 kg |
| EAN code: | 4242005215935 |
| Connection rating: | 90 W |
| Fuse protection: | 10 A |
| Door hinge: | Right reversible |
| Voltage: | 220-240 V |
| Frequency: | 50 Hz |
| Length electrical supply cord: | 240 cm |
| Number of compressors: | 1 |
| Number of independent cooling systems: | 2 |
| Interior ventilator: | Yes |
| Reversible Door Hinge: | Yes |
| Number of Adjustable Shelves in fridge compartment: | 2 |
| Shelves for Bottles: | Yes |
| Installation typology: | Free-standing |



¹ Scale of Energy Efficiency Classes from A to G

Series 6, Free-standing fridge-freezer with freezer at bottom, 201 x 70 cm, White KGE49AWCAG

The bottom freezer with VitaFresh 0 °C Box: keeps your meat and fish fresher for longer

- Connection value 90 W
- 220 - 240 V

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

- LowFrost - less ice creation and therefore quicker defrosting

Performance and Consumption

- EU19_EEK_D: C
- Total Volume : 419 l
- Net Fridge Volume : 302 l
- Net Freezer Volume : 117 l
- Freezing capacity 24h : 6.5 kg
- Annual Energy Consumption: 163 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 38 dB , EU19_Noise emission class_D: C
- Temperature rise time : EU19_Temperature rise time_D: 20 H

Functions

- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity
- Acoustic alarm
- optical and acoustical warning system with failure memory function, optical and accoustical
- Holiday mode
- Super Cooling: automatic deactivation

Design features

- White doors and white side panels
- Integrated vertical handle

Key features - Fridge section

- Automatic defrost fridge
- Bright interior LED fridge light in fridge section
- 5 removable safety glass shelves of which 2 are easy pull out
- Door shelves in fridge door: 1 large and 3 small.
- Metal bottle rack

Food freshness system

- Capacity in 0° C section: 28 l
- 1 VitaFresh drawer - Fish and meat stay fresh for longer, 1 CrisperBox - vegetable/salad container with humidity control
- 1 CrisperBox - vegetable/salad container with humidity control


Key features - Freezer section

- 3 transparent freezer drawers, including 1 BigBox
- Defrost water outlet - for easy and convenient defrosting

Dimension and installation

- Dimensions: 201 cm H x 70 cm W x 65 cm D
- Right hinged door, door reversible
- Height adjustable front feet

**Series 6, Free-standing fridge-freezer
with freezer at bottom, 201 x 70 cm,
White
KGE49AWCAG**



| Device name | a | b | c | d | e | f | g | h |
|----------------------------|------|-----|-----|-----|-----|------|-----|-----|
| KGV39/KGE39 (inner handle) | 2010 | 600 | 650 | 580 | 600 | 1200 | 650 | 690 |
| KGV39/KGE39 (outer handle) | 2010 | 600 | 650 | 580 | 640 | 1200 | 690 | 690 |
| KGE49 (inner handle) | 2010 | 700 | 650 | 580 | 700 | 1300 | 650 | 690 |
| KGE49 (outer handle) | 2010 | 700 | 650 | 580 | 740 | 1300 | 690 | 690 |

Specification

a Height
b Width
c Depth with door closed, without handle and without flexible spacing piece
d Cabinet depth without flexible spacing piece
e Width with door opened to 90°
f Depth with door opened, without handle and without flexible spacing piece
g Depth with door closed, with handle and without flexible spacing piece
h Depth with door closed, without handle and with flexible spacing piece

measurements in mm